CANNABIS 8 BEYOND CO 721 Cortaro Dr. Sun City Center, FL 33573 www.acslabcannabis.com			Distillate Blend Distillate Blend Sample Matrix: CBD/HEMP Derivative Products (Inhalation - Heated)
License No. 800025015 FL License # CMTL-0003 CLIA No. 10D1094068		ate of Analysis	
White Label Leaf 6205 John's Road Tampa, Florida 33634	Batch # FM#1RZ122321-HH Batch Date: 2021-12-23 Extracted From: Hemp	Test Reg State: Florida	
Order # PUR220105-130001 Order Date: 2022-01-05 Sample # AACI435	Sampling Date: 2022-01-07 Lab Batch Date: 2022-01-07 Completion Date: 2022-01-11	Initial Gross Weight: 8.876 g	
	Potency Tested		




 Delta 8/Delta 10 Potency 12 				Tested	Potency Summary		
			(LCUV)	Total Delta 8 48.766%	Total Delta 10 None Detected		
Specimen Weig	t: 49.760 mg LOD	LOQ	Result			Total THC	Total CBD
Analyte	(%)	(%)	(mg/g)	(%)		None Detected	None Detected
Delta-8 THC	0.000026	0.001	487.660	48.766		T : 1000	T : LODN
CBG	0.000248	0.001	46.200	4.620		Total CBG	Total CBN
CBC	0.000018	0.001	20.720	2.072		4.620%	None Detected
THCV	0.000007	0.001		<loq< td=""><td></td><td>Other Cannabinoids</td><td>Total Cannabinoids</td></loq<>		Other Cannabinoids	Total Cannabinoids
Delta-9 THC	0.000013	0.001		<loq< td=""><td></td><td></td><td></td></loq<>			
Delta-10 THC	0.000003	0.001		<loq< td=""><td></td><td>2.072%</td><td>55.458%</td></loq<>		2.072%	55.458%
CBN	0.000014	0.001		<loq< td=""><td></td><td></td><td></td></loq<>			
CBGA	0.00008	0.001		<loq< td=""><td></td><td></td><td></td></loq<>			
CBDV	0.000065	0.001		<loq< td=""><td></td><td></td><td></td></loq<>			
CBDA	0.00001	0.001		<loq< td=""><td></td><td></td><td></td></loq<>			
CBD	0.000054	0.001		<loq< td=""><td></td><td></td><td></td></loq<>			
THCA-A	0.000032	0.001		<loq< td=""><td></td><td></td><td></td></loq<>			



17025





This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Accredited by a third-party accrediting body as a competent testing laboratory pursuant to ISO/IEC 17025 of the International Organization for Standardization.