Customer: Delta Man LLC
504Hudson St.
Hackensack, NJ 07601

Sample ID: BMP87421 / Blue Dream
Laboratory Number: ATL-200

ACCURATE TEST LAB

Extraction Technician: HP
Analytical Chemist: HP

Hernan Prieto

CANNABINOID PROFILE

Extraction Date(s) 04/14/2021
Analysis Date(s) 04/14/2021

Cannabinoids (HPLC) — Results — Cannabinoid (%)

Test	LOD (mg/g)	mg/g	%
Cannabidivarin (CBDV)	<2.0	0	0
Cannabidiolic Acid (CBD-A)	N/A	0	0
Cannabigerolic Acid (CBG-A)	N/A	0	0
Cannabigerol (CBG)	<2.0	0	0
Cannabidiol (CBD)	<2.0	944	47.19
Tetrahydrocannabivarin (THCV)	<2.0	0	0
Cannabinol (CBN)	<2.0	0	0
delta 9-Tetrahydrocannabinol (THC)	<2.0	0	0
delta 8-Tetrahydrocannabidol	<2.0	959	47.97
Cannabichromene (CBC)	<2.0	0	0
delta-9-Tetrahydrocannabinolic Acid (THC-A)	N/A	0	0

Cannabinoids Total

Test	mg/g	%
Max Active THC	959	47.97
Max Active CBD	944	47.19
T.Active Cannabinoids	1,903	95.16
Total Cannabinoids	1,903	95.16

Following USDA guidelines on uncertainty, Accurate Test Lab is uncertainty are calculated for CBDa and CBD at +/- 4%. The uncertainty for THCa and THC are +/- 5%. This implies the range for a 10% value of CBD to be 9.6-10.4%. The uncertainty range for a 0.30% value of THC would be 0.28-0.32%. The measurement uncertainty is calculated using a coverage factor of 2.

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced.

N/A: Not Analyzed